


---

# ATLANTA STRETCH



***SYNTHESI***

SEMI AUTOMATIC PALLET WRAPPER  
MAINTENANCE FREE  
EASY INSTALLATION

**Semi automatic turntable  
for wrapping pallets with stretch film**

## SYNTHESI

Input: 230 Volt  
1 PHASE




## SYNTHESI TP VERSION

Input: 230 Volt  
1 PHASE



### PALLET DIMENSIONS




H mm



WxL mm

	MAX Ø mm
800x1200	1500 STD
1000x1200	1650 OPT
1200x1200	1800 OPT
1500x1500	2200 OPT
1650x1650	2400 OPT
1830x1830	2600 OPT

### APPLICATIONS





## ATLANTA STRETCH SELLING POINTS

### ERGONOMIC SOLUTION FOR THE USER

- IT** L'attenzione alla sicurezza e al massimo comfort del lavoratore contribuiscono a migliorare la qualità del lavoro, diminuendo lo stress a favore della soddisfazione generale dell'utente.
- EN** For the highest security and safety of the user and to achieve a better working, and higher satisfaction of the user.
- FR** Pour la plus grande sécurité et sûreté de l'utilisateur et pour obtenir un meilleur environnement de travail et une plus grande satisfaction de l'utilisateur.
- DE** Für höchste Sicherheit des Nutzers, sowie zur Erreichung eines besseren Arbeitsumfelds und Zufriedenheit
- ES** Para la mayor seguridad y protección del usuario, mejor calidad de trabajo y una mayor satisfacción del usuario.




### COMMERCIAL COMPONENTS AND INVERTERS AVAILABLE ON THE FREE MARKET

- IT** La facilità con cui i nostri componenti sono reperibili sul mercato contribuisce ad abbattere il prezzo con notevole risparmio per l'utente.
- EN** The use of commercial components in all our products means higher reliability and lower costs but also flexibility in terms of spare parts.
- FR** La façon dont nous nous approvisionnons et spécifions des niveaux élevés pour les composants de nos produits, signifie que vous bénéficierez de niveaux de fiabilité élevés et constants
- DE** Der Einsatz handelsüblicher Komponenten in all unseren Produkten bedeutet höhere Zuverlässigkeit und geringere Kosten, aber auch Flexibilität bei der Materialversorgung.
- ES** El uso de componentes comerciales en todos nuestros productos significa mayor confiabilidad y menores costos, pero también flexibilidad en términos de suministro de repuestos.




### POSSIBILITY TO ADJUST TENSION ON LOAD AND PRE STRETCH IN EVERY STEP OF THE WRAPPING CYCLE

- IT** I nostri carrelli offrono la possibilità di regolare in maniera mirata la tensione del film e il prestiro in ogni fase dell'avvolgimento.
- EN** Our carriages are standard equipped with the possibility to adjust film tension and pre-stretch during every phase of the wrapping process.
- FR** Nos chariots sont tous équipés en mode standard avec la possibilité de régler la tension du film et de le pré-étirer à chaque étape du processus d'emballage.
- DE** Unsere Folienschlitten sind so konzipiert, dass sowohl die Anlegespannung als auch die Folienvordehnung in jeder Phase des Wickelzyklus regulierbar sind.
- ES** Nuestros carros están equipados de serie con la posibilidad de ajustar la tensión de la película y preestirar durante cada fase del proceso de envoltura.



## OPERATING PANEL








### DISPLAY 11"easy to use touch screen

6 PROGRAMS

- IT** Pannello di controllo multifunzionale programmabile.
- EN** Multifunction programmable control panel.
- FR** Panneau de contrôle multifonction programmable.
- DE** Multifunktion programmierbare Systemsteuerung.
- ES** Panel de control programable multifunción.



## MEANS OF LOADING



### FORK SLOTS ON BOTH SIDES FOR EASY TRANSPORT

- IT** Trasporto facile.
- EN** Easy transport.
- FR** Transport facile.
- DE** Einfachen transport.
- ES** Facil transporte.



### LOADING RAMP

- IT** Rampa di carico.
- EN** Loading ramp.
- FR** Rampe.
- DE** Ladungsrampen.
- ES** Rampa de carga.



### LOW PROFILE TURNTABLE

- IT** Basamento basso per transpallet manuale. Altezza da terra di soli 25 mm! Solo per tavola da Ø 1650.
- EN** Low profile 25 mm high turntable, designed to ease manual loading! Only available for Ø 1650 table.
- FR** Châssis extra fin pour transpalette manuel. Hauteur de seulement 25 mm!
- DE** Flaches Drehtellergestell für Handhubwagen, Höhe nur 25 mm!
- ES** Base con perfil bajo especial para transpaletas. Altura solo 25 mm!



### TP TURNTABLE

- IT** Versione transpallet con 3 possibili vie di carico. Direzione di ingresso tp modificabile anche dopo consegna.
- EN** Transpallet version with 3 in-feeds. Infeed direction changeable lifetime.
- FR** Ausführung Transpallet mit 3 adenmöglichkeiten.
- DE** Version transpallete 3 voies.
- ES** Version transpaleta en 3 posiciones de carga.



### Pallet dimension


- Ø 1650 Max 1000x1200 mm
- Ø 1800 Max 1200x1200 mm
- Max weight 1200 kg




### IDLE ROLLERS ON THE TURNTABLE

- IT** Rulliera non motorizzata.
- EN** Non-motorized roller conveyor.
- FR** Non motorisées à rouleaux.
- DE** Nicht-Motorisierte Rollenbahn.
- ES** Rodillos no motorizados.

## WRAPPING PROGRAMS




## SPOOL FILM CARRIAGE




### FM

**IT** Freno meccanico regolabile manualmente.  
**EN** Mechanical brake manually adjustable.  
**FR** Frein mécanique ajustable manuellement.  
**DE** Mechanische Bremse auf Umlenkwalze.  
**ES** Friction mecanica regulable manualmente.




### FE

**IT** Frizione elettromagnetica regolabile da pannello comandi.  
**EN** Electromagnetic friction adjustable from control panel.  
**FR** Frein électromagnétique réglable depuis le panneau de commande.  
**DE** Elektromagnetische Bremse auf Umlenkwalze vom Bedienpult instellbar.  
**ES** Fricción electromagnética regulable desde el panel de comandos.



### OPRS ONE PRE STRETCH

**IT** Sistema di prestiro motorizzato a 2 rulli comandato elettronicamente con rapporti intercambiabili: 150 - 200 - 250%.  
**EN** Motorised pre-stretch system including 2 electronically driven rollers with interchangeable ratios: 150 - 200 - 250%.  
**FR** Système de pré-étirage motorisé et asservi à 2 rouleaux, rapports interchangeables: 150 - 200 - 250%.  
**DE** Angetriebener Vordehnsystem mit 2 Vordehnrollen, elektronisch gesteuert mit leicht wechselbarer Zahnradssätzen: 150 - 200 - 250%.  
**ES** Sistema de prestiro motorizado con 2 rodillos, comandado electrónicamente con desarrollos intercambiables: 150 - 200 - 250%.



### PRS POWER ROLLER STRETCH







**IT** Sistema di prestiro motorizzato a 3rulli comandato elettronicamente con rapporti intercambiabili: 150- 200- 250%.  
**EN** Motorized pre-stretch system with 3 driven rollers electronically controlled with interchangeable ratios: 150- 200- 250%.  
**FR** Système de pré-étirage motorisé et asservi à 3 rouleaux, rapports interchangeables: 150- 200- 250%.  
**DE** Angetriebener Vordehnsystem mit 3 Vordehnrollen, elektronisch gesteuert mit leicht wechselbarer Zahnradssätzen: 150- 200- 250%.  
**ES** Sistema de prestiro motorizado con 3 rodillos, comandado electrónicamente con valores intercambiables: 150- 200- 250%.



### PS POWER STRETCH

**IT** Sistema di motorizzato a 3 rulli con 2 motori e variazione da 120 a 350% regolabile da quadro comandi.  
**EN** Motorized pre-stretch system with 3 driven rollers and 2 motors adjustable between 120 to 350% from control panel.  
**FR** Système de pré-étirage motorisé et asservi à 3 rouleaux et 2 moteurs, rapport ajustable de 120 à 350% depuis le panneau de commande.  
**DE** Angetriebener Vordehnsystem mit 3 Vordehnrollen und 2 Motoren, stufenlos regelbare Werte zwischen 120 und 350% von Bedienpult.  
**ES** Sistema de prestiro motorizado con 3 rodillos y 2 motores, regulable de 120 a 350% desde el panel de comandos.

## OPTIONALS



### INTEGRATED WEIGHTING SYSTEM (ALSO FOR TP TURNTABLE)

**IT** Sistema elettronico per l'indicazione del peso del estensibile utilizzato.  
**EN** Integrated calculation system, to indicate the weight of the used stretchfilm.  
**FR** Système de calcul intégré pour indiquer le poids de film utilisé.  
**DE** Integriertes Berechnungssystem, um das Gewicht des verwendeten Stretchfilms anzuzeigen.  
**ES** Sistema integrado que indica el peso del plástico de preestirio utilizado.

### DOORS AND WINDOWS WRAPPING SYSTEM

**IT** Sistema di imballo per porte e finestre.  
**EN** Doors and windows wrapping system.  
**FR** Système d'emballage pour portes et fenêtres.  
**DE** Wickelsysteme für Fenster und Turen.  
**ES** Sistema de embalaje para puertas y ventanas.

### AUTOMATIC FILM CUT FOR FE AND OPRS CARRIAGES

**IT** Sistema di taglio automatico del film a fine ciclo.  
**EN** Automatic Film cutting Device at cycle end.  
**FR** Coupe automatique du film.  
**DE** Automatische Folienschneidvorrichtung am Zyklusende.  
**ES** Sistema automatico de corte del film al fin del ciclo.

### TOP PRESSURE UNIT

**IT** Pressore tenuta pallet.  
**EN** Pallet holder presser.  
**FR** Plateau stabilisateur de charge.  
**DE** Palettendruckhalter.  
**ES** Prensor de retencion del palet.




### ROPING SYSTEM

**IT** Sistema di cordonatura film: Permette di ridurre l'altezza del film formando un cordone che assicura una più efficiente stabilizzazione del carico.  
**EN** Roping System: Reducing the film width to form a rope to ensure more effective load stabilisation.  
**FR** Système permettant de réduire la laize du film en formant un cordon qui assure une meilleure stabilisation de la charge.  
**DE** Schnurvorrichtung: Reduzierung der Folienbreite zur Schnur um eine bessere Stabilisierung der Ladung zu gewährleisten.  
**ES** Sistema de Cordón: permite reducir el ancho del film formando un cordón que asegura eficientemente la estabilidad de la carga.

### LOW TEMPERATURE MACHINE

-5°C coldstore version • -30°C freezer version • inox version

# SEMI AUTOMATIC RANGE



**ATLANTA**  
**STRETCH**  
turning business around

**Headquarter:** Atlanta Stretch Italy Spa

**Subsidiaries:** Atlanta Stretch Australia - Atlanta Stretch China - Atlanta Stretch Deutschland - Atlanta Stretch France - Atlanta Stretch Iberica - Atlanta Stretch India - Atlanta Stretch Mexico - Atlanta Stretch Russia - Atlanta Stretch SEA - Atlanta Stretch Sweden - Atlanta Stretch Turkey - Atlanta Stretch UK



View all  
optional tools  
here

[www.atlantastretch.com](http://www.atlantastretch.com)

Find  
all our  
dealers

